



Purina Mills, LLC

PURINA MILLS® GOAT CHARGE 5511

What it is:

Purina Mills® Goat Charge concentrate is a pelleted supplement that can be mixed with oats, barely, corn, molasses and other ingredients to create a protein and energy mix for both dairy and meat-type goats. The flexible formulation allows you to balance the grain level to fit your feeding needs

Purina Mills® Goat Charge is supported by Purina knowledge, experience and research.

FEATURES

28% Protein formulation

Nutritionally balanced

Pellet form

By-pass Proteins

Contains *Availa*® 4

Contains Diamond V Yeast Culture

Medication option available (Rumensin)

BENEFITS

- **Offers the ability to balance energy and protein needs to fit the nutritional requirement of both dairy and meat-type goats.**
- **Formulated for the unique nutritional needs of goats.**
- **Provides the proper balance of high-quality proteins, vitamins, minerals and other nutrients...**
...Allows for optimal performance and health.
- **Proper calcium to phosphorus ratio...**
...Helps to reduce the formation of urinary calculi.
- **Allows for easy mixing with grains.**
- **Targets amino acids direct to the tissues that require them for optimum milk productions and growth.**
- **Balanced combination of organic zinc, manganese, copper and cobalt to optimize growth and help immune response.**
- **Helps maximize feed digestibility and fermentation, maintain consistent feed intake.**
- **For the prevention of coccidiosis**



Purina Mills, LLC

Guaranteed Analyses		
Crude Protein, %	(min)	28.0
Crude Fat, %	(min)	2.0
Crude Fiber, %	(max)	8.0
Calcium, %	(min)	2.0
Calcium, %	(max)	2.5
Phosphorus, %	(min)	0.9
Salt, %	(min)	1.0
Salt, %	(max)	1.5
Copper, ppm	(min)	50
Copper, ppm	(max)	55
Selenium, ppm	(min)	1.2
Vitamin A, IU/lb	(min)	16000
Vitamin D, IU/lb	(min)	3300
Vitamin E, IU/lb	(min)	120

Feeding Directions

Purina Mills[®] Goat Charge is an all natural protein concentrate designed to provide balanced nutrition for both dairy and meat-type goats when fed in a combination of grains and with high-quality forages.

Mix into dry grain mixes, total mixed rations, or top-dress on grains and feed along with hay. When mixed at a rate of 500 lbs. with 500 lbs. grain and fed with 50% hay or forage, no more than 0.30 ppm selenium is provided in the total diet.

Purina Mills[®] Goat Charge can be mixed into a mixture of grains to achieve a variety of protein and energy levels. Several mixing options are listed below:

%, As fed basis					FINAL DIET					
Purina Goat Charge	Corn	Oats	Barley	Molasses	Crude Protein, %	Crude Fat, %	Crude Fiber, %	Ca, %	P, %	Cu, ppm
50%	35%	10%	0%	5%	18.3	2.7	12.0	1.21	0.58	25.1
50%	25%	20%	0%	5%	18.6	2.8	13.1	1.21	0.58	25.5
40%	30%	0%	25%	5%	17.1	2.3	9.7	0.98	0.51	21.3
40%	25%	30%	0%	5%	17.0	3.1	12.4	0.99	0.52	22.3
35%	30%	30%	0%	5%	16.0	3.2	11.5	0.88	0.49	20.5
30%	30%	35%	0%	5%	15.2	3.3	11.2	0.77	0.46	18.9



Purina Mills, LLC

Important:

1. Start kids on colostrum milk from birth to 3 days of age; feed Purina Mills Kid Milk Replacer from 2 days until 4-8 weeks of age.
2. Use Purina Mills Goat Chow as a creep feed for rapidly growing young goats prior to weaning.
3. If kids have not been creep fed or they were purchased, then they should be placed on grass hay on a free-choice basis after arrival. On the second day, feed a Purina Mills Goat Charge – grain mix at the rate of 1% of their body weight and offer free-choice forage or hay. Gradually increase the amount of Purina Mills Goat Charge – grain mix and decrease the amount of hay.
4. When making a ration change, allow 3 to 5 days for animals to adjust to the new ration.
5. Keep a constant supply of complete feed available. Do not let fine material accumulate in feeders.
6. Provide adequate bunk space for each animal. Bunks should be well-protected and well-managed to prevent feed from becoming wet or moldy.
7. Provide a source of fresh, clean water at all times.
8. Feed salt free-choice.
9. Feed Purina Goat Mineral free-choice.
10. Consult your veterinarian for the recommended health program for your local area. This includes internal and external parasite control.
11. This product contains copper and should not be fed to sheep.

In groups of goats there are certain animals that experience chronic bloat, or other digestive disturbances and consequently, are poor performers. In addition, excess feed consumption, severe weather changes resulting in erratic feed consumption and poorly managed feeding practices, can increase the incidence of bloat in all goats. If bloating occurs, the above management practices should be reviewed and your veterinarian consulted.

Caution:

Store in a dry, well-ventilated area free from all rodents and insects. Do not use moldy or insect-infested feed.

Code	Product Description	E1
5511	Purina Mills Goat Charge	64184
5512	Purina Mills Goat Charge RM 57	64185